

FIG. 1
(Prior Art)




FIG. 2




FIG. 3A

300

```
<?xml version="1.0"?>
<definitions
  name="Deployment"
  310  targetNamespace="http://portal-definitions/Deployment.wsdl"
  xmlns:tns="http://portal-definitions/Deployment.wsdl"
  xmlns:wsfl="http://schemas.xmlsoap.org/wsfl/"
  xmlns="http://schemas.xmlsoap.org/wsdl/">

<message name="getDisplayNameInput">
  <part name="displayNameInput" element="xsd:nil"/>
</message>
<message name="getDisplayNameOutput">
  <part name="displayNameOutput" element="xsd:string"/>
</message>
<message name="getDisplayIcon16x16Input">
  <part name="displayIcon16x16Input" element="xsd:nil"/>
</message>
<message name="getDisplayIcon16x16Output">
  <part name="displayIcon16x16Output" element="xsd:image"/>
</message>
...
330 <portType name="DeploymentPortType">
  <operation name="getDisplayName">
    <input message="tns:getDisplayNameInput"/>
    <output message="tns:getDisplayNameOutput"/>
  </operation>
  <operation name="getDisplayIcon16x16">
    <input message="tns:getDisplayIcon16x16Input"/>
    <output message="tns:getDisplayIcon16x16Output"/>
  </operation>
  ...
</portType>
</definitions>
```

FIG. 3B1

FIG. 3B1

FIG. 3B2

FIG. 3B

350

```
<?xml version="1.0"?>
360 <definitions
      name="System"
      targetNamespace="http://portal-definitions/System.wsdl"
      xmlns:tns="http://portal-definitions/System.wsdl"
      xmlns:wsfl="http://schemas.xmlsoap.org/wsfl/"
      xmlns="http://schemas.xmlsoap.org/wsdl/">

370 <types>
      <schema xmlns="http://www.w3.org/2000/10/XMLSchema">
        <element name="Event">
          <complexType>
            <all>
              <element name="uuid" type="xsd:string"/>
              <element name="type" type="xsd:string"/>
              <element name="when" type="xsd:date"/>
            </all>
          </complexType>
        </element>
      </schema>
    </types>
  ...


```

FIG. 3B2

```
380 <message name="logEventReceive">  
    <part name="logEventInput" element="tns:Event"/>  
</message>  
<message name="reportInput">  
    <part name="reportUsageResource" element="xsd:string"/>  
    <part name="reportUsageQuantity" element="xsd:integer"/>  
</message>  
<message name="reportOutput">  
    <part name="reportReturnCode" element="xsd:string"/>  
</message>  
...  
390 <portType name="SystemPortType">  
    <operation name="logEvent">  
        <input message="tns:logEventReceive"/>  
    </operation>  
    <operation name="reportUsage">  
        <input message="tns:reportInput"/>  
        <output message="tns:reportOutput"/>  
    <operation/>  
...  
</portType>  
...  
</definitions>
```

FIG. 4


400




410




420




430



440



450



460

FIG. 5A

500

- 502** <message name="InResolveProvisioningIDRequest">
 <part name="authToken" type="xsd:string"/>
 </message>
- 504** <message name="OutResolveProvisioningIDResponse">
 <part name="Identifier" type="xsd:string"/>
 </message>
- 506** <message name="InResolveUsersRequest">
 <part name="authToken" type="xsd:string"/>
 <part name="provID" type="xsd:string"/>
 </message>
- 508** <message name="OutResolveUsersResponse">
 <part name="UserSet" type="SOAP-ENC:Array"/>
 </message>
- 510** <message name="InCreateUserProfileRequest">
 <part name="authToken" type="xsd:string"/>
 <part name="provID" type="xsd:string"/>
 <part name="userID" type="xsd:string"/>
 <part name="password" type="xsd:string"/>
 <part name="FullName" type="xsd:string"/>
 <part name="accessRights" type="SOAP-ENC:Array"/>
 </message>
- 512** <message name="OutCreateUserProfileResponse">
 <part name="result" type="xsd:boolean"/>
 </message>

FIG. 5B

514

```
<message name="InQueryUserProfileRequest">
  <part name="authToken" type="xsd:string"/>
  <part name="provID" type="xsd:string"/>
  <part name="userID" type="xsd:string"/>
</message>
```

516

```
<message name="OutQueryUserProfileResponse">
  <part name="password" type="xsd:string"/>
  <part name="FullName" type=xsd:string"/>
  <part name="accessRights" type="SOAP-ENC:Array"/>
</message>
```

518

```
<message name="InUpdateUserProfileRequest">
  <part name="authToken" type="xsd:string"/>
  <part name="provID" type="xsd:string"/>
  <part name="userID" type="xsd:string"/>
  <part name="password" type="xsd:string"/>
  <part name="FullName" type=xsd:string"/>
  <part name="accessRights" type="SOAP-ENC:Array"/>
</message>
```

520

```
<message name="OutUpdateUserProfileResponse">
  <part name="result" type="xsd:boolean"/>
</message>
```

522

```
<message name="InDeleteUserProfileRequest">
  <part name="authToken" type="xsd:string"/>
  <part name="provID" type="xsd:string"/>
  <part name="userID" type="xsd:string"/>
</message>
```

FIG. 5C

524 <message name="OutDeleteUserProfileResponse">
 <part name="result" type="xsd:boolean"/>
 </message>

526 <message name="InSetConfigParameterRequest">
 <part name="authToken" type="xsd:string"/>
 <part name="provID" type="xsd:string"/>
 <part name="userID" type="xsd:string"/>
 <part name="parameterName" type="xsd:string"/>
 <part name="parameterValue" type="xsd:string"/>
 </message>

528 <message name="OutSetConfigParameterResponse">
 <part name="result" type="xsd:boolean"/>
 </message>

530 <message name="InGetConfigParameterRequest">
 <part name="authToken" type="xsd:string"/>
 <part name="provID" type="xsd:string"/>
 <part name="userID" type="xsd:string"/>
 <part name="parameterName" type="xsd:string"/>
 </message>

532 <message name="OutGetConfigParameterResponse">
 <part name="parameterValue" type="xsd:string"/>
 </message>

FIG. 5D

```
550 <portType name="ProvisioningService">
551   <operation name="ResolveProvisioningID">
552     <input message="InResolveProvisioningIDRequest"/>
553     <output message="OutResolveProvisioningIDResponse"/>
554   </operation>
555
556   <operation name="ResolveUsers">
557     <input message="InResolveUsersRequest"/>
558     <output message="OutResolveUsersResponse"/>
559   </operation>
560
561   <operation name="CreateUserProfile">
562     <input message="InCreateUserProfileRequest"/>
563     <output message="OutCreateUserProfileResponse"/>
564   </operation>
565
566   <operation name="QueryUserProfile">
567     <input message="InQueryUserProfileRequest"/>
568     <output message="OutQueryUserProfileResponse"/>
569   </operation>
570
571   <operation name="UpdateUserProfile">
572     <input message="InUpdateUserProfileRequest"/>
573     <output message="OutUpdateUserProfileResponse"/>
574   </operation>
```

FIG. 5E

562

```
<operation name="DeleteUserProfile">
  <input message="InDeleteUserProfileRequest"/>
  <output message="OutDeleteUserProfileResponse"/>
</operation>
```


564

```
<operation name="SetConfigParameter">
  <input message="InSetConfigParameterRequest"/>
  <output message="OutSetConfigParameterResponse"/>
</operation>
```

566

```
<operation name="GetConfigParameter">
  <input message="InGetConfigParameterRequest"/>
  <output message="OutGetConfigParameterResponse"/>
</operation>
</portType>
```

FIG. 6



700
FIG. 7A
(Prior Art)

710

```
SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
<SOAP-ENV:Header>
<SOAP-SEC:Signature xmlns:SOAP-SEC="http://schemas.xmlsoap.org/soap/security/2000-12">
  SOAP-ENV:actor="some-URI"
  SOAP-ENV:mustUnderstand="1">
<ds:Signature xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
<ds:SignedInfo>
<ds:CanonicalizationMethod Algorithm="http://www.w3.org/TR/2000/CR-xml-c14n-20001026">
</ds:CanonicalizationMethod>
<ds:SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#dsa-sha1"/>
<ds:Reference URI="#" Body">
<ds:Transforms>
<ds:Transform Algorithm="http://www.w3.org/TR/2000/CR-xml-c14n-20001026"/>
</ds:Transforms>
<ds:DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1"/>
<ds:DigestValue>j6lwx3rvEPO0vKtMup4NbeVu8nk=</ds:DigestValue>
</ds:Reference>
</ds:SignedInfo>
<ds:SignatureValue>MC0CFFrVLtRlk=...</ds:SignatureValue>
</ds:Signature>
</SOAP-SEC:Signature>
</SOAP-ENV:Header>
```

720

FIG. 7B
(Prior Art)

The diagram shows a rectangular box representing a SOAP envelope. Inside the box, there is XML code for a SOAP message. Annotations are present: a bracket labeled '730' points to the 'Body' element, and another bracket labeled '740' points to the 'm:GetLastTradePrice' element.

```
<SOAP-ENV:Body  
    xmlns:SOAP-SEC="http://schemas.xmlsoap.org/soap/security/2000-12"  
    SOAP-SEC:id="Body">  
        <m:GetLastTradePrice xmlns:m="some-URI">  
            <m:Symbol>IBM</m:Symbol>  
        </m:GetLastTradePrice>  
    </SOAP-ENV:Body>  
</SOAP-ENV:Envelope>
```